



## Gerade Einschraubverschraubung

## RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
 <p>mit Außengewinde</p>	M 5	8	14	4	3			2,5		8,5		RP 01-05/04	■
	1/8	13	11,5	4	5			3		14		RP 01-10/04	■
	1/4	17	10,5	4	5,5			3		17,5		RP 01-13/04	■
	M5	11	20	6	3,5			2,5		12		RP 01-05/06	■
	1/8	13	13	6	5			4		14		RP 01-10/06	■
	1/4	16	12,5	6	5,5			4		17,5		RP 01-13/06	■
	1/8	13	20,5	8	4,5			5		14		RP 01-10/08	■
	1/4	16	19,5	8	5,5			6		17,5		RP 01-13/08	■
	3/8	20	18	8	5,5			6		22		RP 01-17/08	■
	1/4	16	23	10	5,5			7		17,5		RP 01-13/10	■
	3/8	20	19,5	10	5,5			8		22		RP 01-17/10	■
	1/4	19	27,5	12	5,5			7		21		RP 01-13/12	■
	3/8	20	27	12	5,5			9		22		RP 01-17/12	■
	1/2	24	22,5	12	7			10		26		RP 01-21/12	■
	3/8	22	29,5	14	5,5			9		24		RP 01-17/14	■
	1/2	24	28	14	7			10		26		RP 01-21/14	■

## Gerade Einschraubverschraubung

## RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS	
 <p>mit Innengewinde</p>	1/8	13	22,5	4	9,5							RP 14-10/04	□	
	1/4	16	26,5	4	13,5							RP 14-13/04	□	
	1/8	13	24,5	6	9,5							RP 14-10/06	■	
	1/4	16	28,5	6	13,5							RP 14-13/06	■	
	1/8	13	29	8	9,5							RP 14-10/08	■	
	1/4	16	33	8	13,5							RP 14-13/08	■	
	3/8	19	40	12	14							RP 14-17/12	□	
	1/2	24	45,5	12	19,5							RP 14-21/12	□	

LS = Lieferstatus:


■ am Lager

□ kurzfristig lieferbar

□ mittelfristig lieferbar


# Winkelverschraubung

# RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
 <p>schwenkbar</p>	M 5	8	14	4	3,5	13,5				8,5		RP 99-05/04	■
	1/8	13	14	4	5	13				8,5		RP 99-10/04	■
	1/4	16	14	4	5,5	13				8,5		RP 99-13/04	□
	1/8	13	16	6	5	15				10,5		RP 99-10/06	■
	1/4	16	16	6	5,5	15				10,5		RP 99-13/06	■
	1/8	13	23	8	4,5	20,5				13,5		RP 99-10/08	■
	1/4	16	23	8	5,5	18,5				13,5		RP 99-13/08	■
	3/8	20	23	8	5,5	18,5				13,5		RP 99-17/08	■
	1/4	16	26,5	10	5,5	23,5				16		RP 99-13/10	■
	3/8	20	26,5	10	5,5	22				16		RP 99-17/10	■
	1/4	16	31	12	5,5	26,5				19		RP 99-13/12	■
	3/8	20	31	12	5,5	29				19		RP 99-17/12	□
	3/8	20	35,5	14	5,5	32,5				22		RP 99-17/14	■
	1/2	24	35,5	14	7	27				22		RP 99-21/14	□


# L-Schwenkverschraubung

# RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
	M 5	8	15,5	4	3,5	5	18				2	RP 18-05/04	■
	1/8	13	17	4	4	18,5	7			8,5		RP 18-10/04	□
	1/8	13	17	6	4	20	7			10,5		RP 18-10/06	□
	1/4	17	22	6	7	10,5	25					RP 18-13/06	□
	1/8	13	16,5	8	4	25	7			13,5		RP 18-10/08	□
	1/4	17	22,5	8	5,5	27	9,5			13,5		RP 18-13/08	■
	3/8	20	30	8	5,5	29	11			13,5		RP 18-17/08	□
	1/4	17	26,5	10	5,5	29	9,5			16		RP 18-13/10	□
	3/8	20	30	10	5,5	31	11			16		RP 18-17/10	□
	1/4	22	24	12	7	12,5	43,5					RP 18-13/12	□
	3/8	22	24	12	5,5	43,5	12,5			19		RP 18-17/12	□

# T-Einschraubstück


# RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
 <p>schwenkbar</p>	1/8	13	28	4	5	15				8,5		RP 98-10/04	■
	1/8	13	32,5	6	5	17				10,5		RP 98-10/06	■
	1/4	16	32	6	5,5	17				10,5		RP 98-13/06	■
	1/8	13	46	8	4,5	23,5				13,5		RP 98-10/08	■
	1/4	16	46	8	5,5	21,5				13,5		RP 98-13/08	■
	1/4	16	53	10	5,5	26				16		RP 98-13/10	■
	1/4	16	62	12	5,5	29				19		RP 98-13/12	■
	3/8	20	62	12	5,5	27				19		RP 98-17/12	■
	3/8	20	71	14	5,5	32,5				22		RP 98-17/14	■
	1/2	24	71	14	7	27				22		RP 98-21/14	■

⚠ Bitte beachten Sie unsere Sicherheitshinweise auf den Seiten 12/13 ⚠

## L-Einschraubstück


## RECTUS RectuPush



Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
1/8	13	23	4	5	8,5	14,5			8,5		RP 93-10/04	<input type="checkbox"/>
1/8	13	27	6	5	10	17,5			10,5		RP 93-10/06	<input checked="" type="checkbox"/>
1/4	16	27	6	5,5	10	17,5			10,5		RP 93-13/06	<input type="checkbox"/>
1/8	13	36,5	8	4,5	14	23			13,5		RP 93-10/08	<input type="checkbox"/>
1/4	16	34,5	8	5,5	12	23			13,5		RP 93-13/08	<input type="checkbox"/>
1/4	16	42	10	5,5	15,5	26,5			16		RP 93-13/10	<input type="checkbox"/>
1/4	16	48	12	5,5	17	31			19		RP 93-13/12	<input type="checkbox"/>
3/8	20	46,5	12	5,5	15,5	31			19		RP 93-17/12	<input type="checkbox"/>
3/8	20	56,5	14	5,5	21,5	35,5			22		RP 93-17/14	<input type="checkbox"/>
1/2	24	51	14	7	16	35,5			22		RP 93-21/14	<input type="checkbox"/>

## Winkel


## RECTUS RectuPush



Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
		19	4						8,5		RP 02-04	<input checked="" type="checkbox"/>
		22,5	6						10,5		RP 02-06	<input checked="" type="checkbox"/>
		29,5	8						13,5		RP 02-08	<input checked="" type="checkbox"/>
		34,5	10						16		RP 02-10	<input checked="" type="checkbox"/>
		40,5	12						19		RP 02-12	<input checked="" type="checkbox"/>
		46,5	14						22		RP 02-14	<input checked="" type="checkbox"/>

## Einschraubstutzen, gerade

## RECTUS RectuPush



Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
M 5	8	31	4	3,5	16						RP 31-05/04	<input type="checkbox"/>
1/8	13	30	4	5	13,5						RP 31-10/04	<input type="checkbox"/>
1/4	16	31	4	5,5	13,5						RP 31-13/04	<input type="checkbox"/>
1/8	16	33	6	5,5	13,5						RP 31-10/06	<input type="checkbox"/>
1/4	16	33	6	5,5	13,5						RP 31-13/06	<input type="checkbox"/>
1/8	13	35,5	8	5	12,5						RP 31-10/08	<input type="checkbox"/>
1/4	16	34,5	8	5,5	10,5						RP 31-13/08	<input type="checkbox"/>
3/8	20	34,5	8	5,5	10,5						RP 31-17/08	<input type="checkbox"/>
3/8	20	42	12	5,5	12						RP 31-17/12	<input type="checkbox"/>
1/2	20	42	12	5,5	12						RP 31-21/12	<input type="checkbox"/>
1/2	24	48	14	7	13,5						RP 31-21/14	<input type="checkbox"/>

LS = Lieferstatus:

 am Lager kurzfristig lieferbar mittelfristig lieferbar

## Gerade Verbindung

## RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
			25	4						8,5		RP06-04	■
			28,5	6						10,5		RP06-06	■
			38	8						13,5		RP06-08	■
			42	10						16		RP06-10	■
			50,5	12						19		RP06-12	■
			56	14						22		RP06-14	■

## T-Stück

## RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
				4	19					8,5	4	RP 04-04	■
				6	22,5					10,5	6	RP 04-06	■
				8	29,5					13,5	8	RP 04-08	■
				10	34,5					16	10	RP 04-10	■
				12	40,5					19	12	RP 04-12	■
				14	46					22	14	RP 04-14	■

## Y-Anschluss

## RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D2 mm	D2 mm	Artikel-Nr.	LS
			28,5	4	17,5	9				4		RP 40-04/04	■
			33	4	17,5	9				6		RP 40-04/06	□
			35	6	21,5	11				6		RP 40-06/06	■
			45	8	28	14,5				8		RP 40-08/08	■

## Schottverschraubung

## RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
		13		4	15	10			5,5	10,5		RP 16-04	□
		15		6	18	10,5			8,5	12,5		RP 16-06	■
		18		8	25	13,5			14,5	15,5		RP 16-08	■
		22		10	27,5	15,5			14,5	18,5		RP 16-10	□
		26		12	33	18			18,5	22,5		RP 16-12	□
		29		14	37,5	20,5			20,5	25,5		RP 16-14	■

⚠ Bitte beachten Sie unsere Sicherheitshinweise auf den Seiten 12/13 ⚠

## Gerade Einschraubversch. mit Ventil absperrend

## RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
	1/8	13	22	4	5	6	7,5			14		RA 01-10/04	☐
	1/8	13	24	6	5	6	9			16		RA 01-10/06	■
	1/4	17	26	8	7	8	11			20		RA 01-13/08	■
	3/8	19	31	10	8	11	13			21		RA 01-17/10	☐

## Winkel-Schottverschraubung

## RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
		13	17	4	14,5				6,5	11	12,5	RP 39-04	☐
		15	19,5	6	17,5				7	13,5	14,5	RP 39-06	☐
		18	24	8	23				8	16	16,5	RP 39-08	☐
		22	28	10	26				8,5	21	22,5	RP 39-10	☐
		26	33	12	31				8,5	23,5	24,5	RP 39-12	☐
		29	37,5	14	36				10,5	25,5	26,5	RP 39-14	☐

## Doppelstecker

## RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS	
			34,5	4	12							RP 20-04	■	
			38,5	6	14								RP 20-06	■
			41	8	18,5								RP 20-08	☐
			51	10	20,5								RP 20-10	☐
			60	12	24,5								RP 20-12	☐
			69,5	14	25,5								RP 20-14	☐

## Reduzierung

## RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
			37,5	4	23,5					6	8,5	RP 66-04/06	■
			37,5	4	19					8	8,5	RP 66-04/08	■
			44	4	22,5					10	12	RP 66-04/10	☐
			37,5	6	20					8	10,5	RP 66-06/08	■
			38	6	17,5					10	10,5	RP 66-06/10	■
			49	8	28,5					10	13,5	RP 66-08/10	■
			56,5	10	33,5					12	21,5	RP 66-10/12	■
			58,5	12	33,5					14	23,5	RP 66-12/14	☐

LS = Lieferstatus:


■ am Lager

☐ kurzfristig lieferbar

☐ mittelfristig lieferbar


## Verschlussstopfen

## RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
			30	4	15,5					4		RP 26-04	☐
			33	6	16,5					8		RP 26-06	■
			35	8	17,5					10		RP 26-08	■
			42	10	21					12		RP 26-10	■
			45	12	22					14		RP 26-12	■
			49	14	23,5					16		RP 26-14	☐

## Unverlierbare PVC-Dichtringe

## RECTUS RectuPush

	Anschluss A	SW mm	L mm	D mm	L1 mm	L2 mm	L3 mm	SW1 mm	B mm	D1 mm	D2 mm	Artikel-Nr.	LS
 <p>Farbe: Schwarz</p>	M 5											UD 05 M	■
	M 10 x 1											UD 10 M	☐
	M 12 x 1,5											UD 12 M	■
	M 14 x 1,5											UD 14 M	■
	M 16 x 1,5											UD 16 M	☐
	M 18 x 1,5											UD 18 M	☐
	M 22 x 1,5											UD 22 M	☐
	G 1/8											UD 10	■
	G 1/4											UD 13	■
	G 3/8											UD 17	■
	G 1/2											UD 21	■
	G 3/4											UD 26	■
	G 1											UD 33	■
	G 1 1/4											UD 42	■